

SMOKED CLEAR LED TAIL LIGHTS

(2015-2020 MUSTANG)

INSTALLATION INSTRUCTIONS

CONTENTS

(1) Pair of LED Tail Lights

TOOLS REQUIRED

10mm Socket
Socket Wrench
Flathead Screwdriver
Panel Removal Tool



STEP 1

Open the trunk. Unscrew the (2) plastic knobs on both sides on the plastic trunk panel. Remove the trunk panel from the vehicle. Using a panel removal tool, remove (1) plastic push clip from the carpet.




STEP 2

Remove (3) 10mm nuts from the tail light. Unplug the electrical connector from the vehicle harness.



STEP 3

Pull the tail light away from the vehicle. Dislodge the wiring harness grommet and pull the wiring harness out of the vehicle with the tail light.



STEP 4

Using a flathead screwdriver, dislodge the (2) metal clips to remove the top plastic cover on the tail light.

STEP 5
(2018+ ONLY)



Using a flathead screwdriver, remove the magnet attached to the tail light housing. Install the magnet onto the new tail light housing.

STEP 6



Install the top plastic cover to the new tail light housing.

STEP 7



Route the new headlight wiring harness through the vehicle, then press the grommet into place. Plug the harness into the vehicle wiring harness.

STEP 8



Install the tail light to the vehicle following steps 1-2 in reverse order. Repeat steps 1-7 to install the tail light on the opposite side.

Installation is now complete.