

# **LED PROJECTOR HEADLIGHTS W/ SEQUENTIAL TURN SIGNALS**

(2013-2014 MUSTANG)

---

## INSTALLATION INSTRUCTIONS

### CONTENTS

---

(1) LH Headlight  
(1) RH Headlight

### TOOLS REQUIRED

---

7mm, 8mm, 10mm Sockets  
Ratchet  
Panel Removal Tool



**STEP 1**

Open the hood. Remove the (8) plastic push clips from the radiator support cover. Remove the cover from the vehicle.




**STEP 2**

Remove (4) 7mm bolts on each side of the bumper.



**STEP 3**

From under the vehicle, remove (7) 7mm bolts from the rear of the splash shield.



**STEP 4**


Remove (4) 8mm bolts from the top of the bumper. Pull the bumper away from the vehicle, and disconnect the wiring harnesses from the fog lights, side marker lights, and temperature sensor. Set the bumper aside on a soft surface.

**STEP 5**



Remove (3) 10mm bolts from the vehicle headlight assembly. Pull the headlight away from the vehicle and disconnect the (2) electrical connectors.

**STEP 6**



Install the new headlight to the vehicle using the original (3) 10mm bolts, test functionality. Once tested, re-install the bumper to the vehicle following steps 1-4 in reverse order, re-using the original hardware.

Installation is now complete.