

PASSENGER GRAB HANDLE CUP HOLDER/PHONE MOUNT

(2018-2023+ WRANGLER JL) (2020-2023+ GLADIATOR JT)

INSTALLATION INSTRUCTIONS

CONTENTS


- (1) Mounting Bracket
- (1) Cup Holder/Phone Mount Clamp
- (1) Cup Holder/Phone Mount Base
- (2) Phillips Screws

TOOLS REQUIRED

10mm Socket Ratchet w/ Extension Plastic Trim Tools


> SKU # J189770 Edited: 09/20/2023





STEP 1

Assemble the cup holder brackets, and then secure the assembly to the metal mounting bracket using (2) Phillips screws. Tighten the screws evenly until secure.



STEP 2

Using plastic trim tools, gently pry the radio/HVAC controls away from the vehicle dashboard. The controls are only retained by plastic clips.

Gently place the controls away from the dashboard. Ensure the wires are not under tension.





STEP 3

Remove the RH side grab handle end cap to reveal the grab handle retaining bolt.

Remove (2) 10mm bolts from the grab handle from the dashboard.



STEP 4

Slide the cup holder mounting bracket over the grab handle post.





STEP 5

Fit the grab handle with the cup holder to the vehicle dashboard, and secure the grab handle to the dashboard using the original (2) 10mm bolts. Tighten the hardware evenly until secure.



STEP 6

Install the RH grab handle cover and the radio/HVAC controls into the dashboard.

Installation is now complete.